# **Material Safety Data Sheet**





Revision Number: 003.0 Issue date: 08/04/2010

# 1. PRODUCT AND COMPANY IDENTIFICATION

IDH number:

Product name: 363(TM) Impruv® Potting Compound

Light Cure Adhesive UV Curing

Product type: Sealant Item number: 36331

Region: United States

Company address:Contact information:Henkel CorporationTelephone: 860.571.5100

One Henkel Way Emergency telephone: 860.571.5100 Rocky Hill, Connecticut 06067 Internet: www.henkelna.com

#### 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

HMIS:

Physical state:LiquidHEALTH:\*2Color:YellowFLAMMABILITY:1Odor:Sharp, IrritatingPHYSICAL HAZARD:1

Personal Protection: See MSDS Section 8

135415

WARNING: CAUSES EYE AND SKIN IRRITATION.

MAY CAUSE ALLERGIC SKIN REACTION.

MAY CAUSE RESPIRATORY TRACT IRRITATION. MAY BE HARMFUL IF SWALLOWED OR INHALED.

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

**Potential Health Effects** 

Inhalation: May cause irritation to nose and throat.

**Skin contact:** Causes skin irritation. May cause allergic skin reaction. **Eye contact:** Vapors may irritate eyes. Contact with eyes will cause irritation.

Ingestion: May be harmful if swallowed. May cause gastrointestinal tract irritation if swallowed.

Existing conditions aggravated by

exposure:

Skin disorders. Eye disorders. Liver disorders. Kidney disorders. Acrylic acid: Respiratory

disorders. Lung disease.

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR

1910.1200).

See Section 11 for additional toxicological information.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
2-Propenoic acid, 2-methyl-, 2-[[2,3,3a,4,7,7a(or 3a,4,5,6,7,7a)-hexahydro-4,7-methano-1H-indenyl]oxy]ethyl ester	68586-19-6	30 - 60
Polyurethane Methacrylate Resin~	Proprietary	30 - 60
Acrylic acid	79-10-7	5 - 10
2-Hydroxyethyl methacrylate	868-77-9	1 - 5
Photoinitiator	947-19-3	1 - 5
Ester Adducts	Unknown	1 - 5
Gamma-glycidoxypropyl trimethoxysilane	2530-83-8	1 - 5
Ethylene glycol	107-21-1	0.1 - 1

#### 4. FIRST AID MEASURES

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give

artificial respiration. If symptoms develop and persist, get medical attention.

Skin contact: Wash with soap and water. Remove contaminated clothing and footwear.

Wash clothing before reuse. If symptoms develop and persist, get medical

attention.

Eye contact: Flush with copious amounts of water, preferably, lukewarm water for at least

15 minutes, holding eyelids open all the time. Get medical attention.

**Ingestion:** Do not induce vomiting. Keep individual calm. Get medical attention.

#### 5. FIRE FIGHTING MEASURES

Flash point: > 93.3 °C (> 199.94 °F) Tagliabue closed cup

Autoignition temperature: Not available

Flammable/Explosive limits - lower: 2 % (Acrylic Acid)
Flammable/Explosive limits - upper: 8 % (Acrylic Acid)

Extinguishing media: Foam, dry chemical or carbon dioxide. Do not use high volume water jet.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear.

Unusual fire or explosion hazards: Uncontrolled polymerization may cause rapid evolution of heat and increase in

pressure that could result in violent rupture of sealed storage vessels or

containers.

Hazardous combustion products: Oxides of carbon. Oxides of silicon. Formaldehyde. Ammonia. Amines.

Irritating organic vapours.

# 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:**Do not allow product to enter sewer or waterways.

Clean-up methods: Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up.

Ensure adequate ventilation. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a partly filled,

closed container until disposal.

### 7. HANDLING AND STORAGE

**Handling:** Use only with adequate ventilation. Prevent contact with eyes, skin and

clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Do not taste or swallow. For operations where eye or face contact could occur,

provide safety shower and eyewash fountain. Refer to Section 8.

**Storage:** For safe storage, store at or below 38 °C (100.4 °F)

IDH number: 135415

Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Store away from heat, sparks, flames, or other sources of ignition. Protect from direct sunlight. Keep from freezing.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
2-Propenoic acid, 2-methyl-, 2-[[2,3,3a,4,7,7a(or 3a,4,5,6,7,7a)-hexahydro-4,7-methano-1H-indenyl]oxy]ethyl ester	None	None	None	None
Polyurethane Methacrylate Resin~	None	None	None	None
Acrylic acid	2 ppm TWA (SKIN)	None	None	1 ppm TWA 3 ppm STEL (SKIN)
2-Hydroxyethyl methacrylate	None	None	None	3 ppm Ceiling1
Photoinitiator	None	None	None	None
Ester Adducts	None	None	None	None
Gamma-glycidoxypropyl trimethoxysilane	None	None	None	None
Ethylene glycol	100 mg/m3 Ceiling1 Aerosol.	None	None	None

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

**Eye/face protection:** Safety goggles or safety glasses with side shields. Full face protection should

be used if the potential for splashing or spraying of product exists. Safety

showers and eye wash stations should be available.

**Skin protection:**Use impermeable gloves and protective clothing as necessary to prevent skin

contact.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Yellow

Odor: Sharp, Irritating
Odor threshold: Not available
pH: Not applicable

Vapor pressure: < 5 mm hg (27 °C (80.6 °F))

Boiling point/range: > 149 °C (> 300.2 °F)

Melting point/ range: Not available

**Specific gravity:** 1.1 at 26.6 °C (79.88 °F)

Vapor density: Not available

IDH number: 135415

Flash point: > 93.3 °C (> 199.94 °F) Tagliabue closed cup

Flammable/Explosive limits - lower:

Plammable/Explosive limits - upper:

Autoignition temperature:

Evaporation rate:

Solubility in water:

Partition coefficient (n-octanol/water):

2 % (Acrylic Acid)

8 % (Acrylic Acid)

Not available

Not available

Slight

Not available

**VOC content:** 2.92 %; 32.12 g/l (total)

2.14 %; 23.54 g/l ASTM D5403 Process volatiles

0.78 %; 8.58 g/l (potential)

## 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: None under normal processing. Polymerization may occur at elevated

temperature or in the presence of incompatible materials.

Hazardous decomposition products: Oxides of carbon. Oxides of silicon. Formaldehyde. Amines. Ammonia.

Irritating organic vapours.

**Incompatible materials:** Strong oxidizing agents. Reducing agents. Oxygen scavengers. Acids. Bases.

Alkalis. Aldehydes. Amines. Free radical initiators. Peroxides. Aluminum.

Conditions to avoid: Heat, flames, sparks and other sources of ignition. Exposure to sunlight.

Freezing conditions. UV light. Loss of polymerization inhibitor. Inert gas

blanketing. Avoid moisture.

## 11. TOXICOLOGICAL INFORMATION

Acute oral product toxicity: LD50 (rat) > 5,000 mg/kg (Estimated)

Acute dermal product toxicity: LD50 (rabbit) > 2,000 mg/kg (Estimated)

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
2-Propenoic acid, 2-methyl-, 2- [[2,3,3a,4,7,7a(or 3a,4,5,6,7,7a)- hexahydro-4,7-methano-1H- indenyl]oxy]ethyl ester	No	No	No
Polyurethane Methacrylate Resin~	No	No	No
Acrylic acid	No	No	No
2-Hydroxyethyl methacrylate	No	No	No
Photoinitiator	No	No	No
Ester Adducts	No	No	No
Gamma-glycidoxypropyl trimethoxysilane	No	No	No
Ethylene glycol	No	No	No

Hazardous components	Health Effects/Target Organs		
2-Propenoic acid, 2-methyl-, 2-[[2,3,3a,4,7,7a(or 3a,4,5,6,7,7a)-hexahydro-4,7-methano-1H-indenylloxylethyl ester	Irritant, Allergen		
Polyurethane Methacrylate Resin~	No Data		
Acrylic acid	Allergen, Corrosive, Irritant, Kidney, Liver		
2-Hydroxyethyl methacrylate	Irritant, Allergen		
Photoinitiator	No Records		
Ester Adducts	No Data		
Gamma-glycidoxypropyl trimethoxysilane	Irritant, Allergen		
Ethylene glycol	Blood, Bone Marrow, Central nervous system, Developmental, Eyes, Irritant, Kidney, Liver, Metabolic		

# 12. ECOLOGICAL INFORMATION

Ecological information: Not available

IDH number: 135415

#### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

**Hazardous waste number:**Not a RCRA hazardous waste.

#### 14. TRANSPORT INFORMATION

**U.S. Department of Transportation Ground (49 CFR)** 

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Not regulated
None
None

International Air Transportation (ICAO/IATA)

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Not regulated
None
None
None

Water Transportation (IMO/IMDG)

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Not regulated
None
None

#### 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12(b) Export Notification: None above reporting de minimus

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312:

CERCLA/SARA 313:

None above reporting de minimus Immediate Health, Delayed Health

This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). Acrylic acid (CAS# 79-10-7).

**California Proposition 65:** This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

**Canada Regulatory Information** 

IDH number: 135415

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

WHMIS hazard class: D.2.A, D.2.B

## 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: 3, 4, 5, 6, 7, 8, 10, 15

Prepared by: Katherine Caddy, Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 135415