

MATERIAL SAFETY DATA SHEET

Section 1 - Product and Company Identification

Product Name: Abrasives: Spiral Bands, Sleeves, Flapwheels, Cartridge Rolls, Quick Change Discs, Belts, Discs-PSA & Non-PSA, Cross Pads, Square Pads, Resin Cloth Cones, Chamfer Cones, Slotted and Unslotted Discs, Sheets, Resin Fiber Discs, Sanding Sponges, Center Laps, Rolls, Abrasive Stars, Mini Flap Discs.

Manufacturer: Dynabrade Inc., 8989 Sheridan Drive, Clarence, NY 14031-1490, Phone°(716) 631-0100, FAX°(716) 631-2073, U.S. Consumers Call Toll Free 1-800-396-2272

Ingredient	OSHA PEL	ACGIH TLV	Other Limits Recommended
Silicon Carbide	15 mg/m ³	10 mg/m ³	N/A
Aluminum Oxide	15 mg/m ³	10 mg/m ³	N/A
Garnet	15 mg/m ³	10 mg/m ³	N/A
Ceramic Alumina	15 mg/m ³	10 mg/m ³	N/A
Zirconium Oxide	15 mg/m ³	10 mg/m ³	N/A
Paper Backing	NONE	NONE	N/A
Cloth Backing	NONE	NONE	N/A
Fiber Backing	NONE	NONE	N/A
Cured Adhesive	NONE	NONE	N/A
Each abrasive product contains a combination of the above components per spec and do not contain ingredients that are hazardous as defined by OSHA.	I	I	Ι

Section 2 - Hazard Ingredients/Identity Information

Section 3 - Physical/Chemical Charateristics

Specific Gravity (H₂O = 1): N/A Vapor Pressure (mm Hg.): N/A Appearance and Color: Cloth, paper or fiber coated with abrasive material. Vapor Density (Air = 1): N/A Water Solubility: N/A Boiling Point: N/A Melting Point: N/A Evaporation Rate (Butyl Acetate = 1): N/A 03/03

Section 4 - Fire and Explosion Hazard Data

Flash Point: N/A

Flammable Limits: LEL: N/A, UEL: N/A Extinguishing Media: Water, CO₂, foam, dry chemical Unusual Fire or Explosion Hazards: None Special Fire Fighting Procedures: None

Section 5 - Reactivity Data

Stability: Stable

Conditions to Avoid: N/A Hazardous Polymerization: Will not occur N/A

Chemical Incompatibilities: N/A

Hazardous Decomposition Products: Decomposition or Byproducts: In use dust & decomposing resin system fumes are generated. In most cases, the material removed from the work piece will be significantly greater than the coated abrasive product components.

Section 6 - Health Hazard Data

Route(s) of Entry

Inhalation: Dust-during use. Skin: Not absorbed through skin. Ingestion: Dust. Carcinogenicity: NTP? NA, LARC Monographs? NA, OSHA Regulated? NA Signs and Symptoms of Exposure: Coughing, shortness of breath, irritation of the eyes. During use on some materials elevated sound levels may be created which effect hearing. Medical Conditions: Generally aggravated by exposure: NA Emergency and First Aid Procedures: Remove to fresh air, apply artificial respiration as needed. For eyes — wash with large amounts of water. OBTAIN FIRST AID OR MEDICAL ASSISTANCE IF NEEDED.

Section 7 — Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled: Normal clean-up procedures. Waste Disposal Method: Standard landfill methods consistent with applicable Federal, State and Local Laws.

Precautions to Be taken in Handling and Storage: Handle with adequate ventilation. See OSHA 29CFR1910.94

(Ventilation) and OSHA 29CFR1910.1000 (Air Contaminates).

Other Precautions: Normal Use — Handle with adequate ventilation. See OSHA 29CFR1910.94 (Ventilation) & OSHA 19CFR1910.0000 (Air Contaminates), OSHA CFR1910.213 (P) Sanding Machines.

Section 8 — Control Measures

Respiratory Protection: As needed, approved dust respirator OSHA 24 CFR1910-134 Ventilation: Local Exhaust: Recommended, Special: NA Mechanical (General): Recommended, Other: NAIF Protective Gloves: As desired by user.

Eye Protection: OSHA 29CFR1910.133 (Face & Eye Protection)

Other Protective Clothing or Equipment: As needed, hearing protection — OSHA 29CFR1910.215 (Hearing Protection) Work/Hygienic Practices: N/A Recommended