

Revision Date: 07/28/2016

GE5060

SAFETY DATA SHEET

1. Identification

Product identifier: GE5060

Other means of identification

Synonyms: Silicone Rubber Sealant

Recommended use and restriction on use

Recommended use: Restrictions on use: Not known.

Manufacturer/Importer/Distr :

Momentive Performance Materials LLC

260 Hudson River Road

Waterford NY 12188

Contact person commercial.services@momentive.com

General information **Telephone**

+1-800-295-2392

Emergency telephone

ibutor Information

number

Supplier CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin sensitizer Category 1 Category 1B Toxic to reproduction Toxic to reproduction Category 1B

Label Elements

Hazard Symbol:



1/16 SDS_US



Revision Date: 07/28/2016

GE5060

Signal Word: Danger

Hazard Statement: May cause an allergic skin reaction.

May damage fertility or the unborn child.

Precautionary Statement

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Avoid breathing dust. Contaminated work clothing should not be allowed out of the workplace.

Response: IF exposed or concerned: Get medical advice/attention. IF ON SKIN: Wash

with plenty of water. Wash contaminated clothing before reuse. If skin

irritation or rash occurs:

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

Substance(s) formed under the

conditions of use:

Silicone sealant

3. Composition/information on ingredients

SDS_US 2/16



Revision Date: 07/28/2016

GE5060

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Distillates, petroleum, hydrotreated middle	64742-46-7	3 - 7%	# This substance has workplace exposure limit(s).
Hexamethyldisilazane	999-97-3	1 - 5%	No data available.
TITANIUM DIOXIDE	13463-67-7	1 - 5%	# This substance has workplace exposure limit(s).
DIBUTYL TIN BIS ACETYLACETONATE	22673-19-4	0.1 - 1%	# This substance has workplace exposure limit(s).

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration

using a barrier device. If breathing is difficult give oxygen. Get medical

attention.

Skin Contact: To clean from skin, remove completely with a dry cloth or paper towel,

before washing with detergent and water. If skin irritation occurs: Get

medical advice/attention.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms: None known.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

SDS_US 3/16



Revision Date: 07/28/2016

GE5060

5. Fire-fighting measures

General Fire Hazards: No data available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

No data available.

Specific hazards arising from

the chemical:

No data available.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep container closed. Avoid contact with skin and eyes. Adequate ventilation should be provided so that exposure limits are not exceeded.

Keep out of reach of children.

Methods and material for containment and cleaning

up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the

protective equipment section.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected.

Conditions for safe storage,

including any incompatibilities: Keep away from heat, sparks and open flame. Keep out of the reach of children.

8. Exposure controls/personal protection

Control Parameters

SDS_US 4/16



Revision Date: 07/28/2016

GE5060

Occupational Exposure Limits

Chemical Identity	type	Exposure Limit Values	Source
Distillates, petroleum, hydrotreated middle - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
Distillates, petroleum, hydrotreated middle - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
TITANIUM DIOXIDE	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
TITANIUM DIOXIDE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
DIBUTYL TIN BIS ACETYLACETONATE - as Sn	STEL	0.2 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	TWA	0.1 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	REL	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	0.1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering

Controls

Eye wash facilities and emergency shower must be available when

handling this product.

Individual protection measures, such as personal protective equipment

General information: Ventilation and other forms of engineering controls are preferred for

controlling exposures. Respiratory protection may be needed for non-

routine or emergency situations.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Cloth gloves.

Other: Wear suitable protective clothing and eye/face protection.

SDS_US 5/16



Revision Date: 07/28/2016

GE5060

Respiratory Protection: If exposure limits are exceeded or respiratory irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA

regulations (see 29CFR 1910.134).

Hygiene measures: No data available.

9. Physical and chemical properties

Appearance

Physical state:solidForm:solidColor:Light brown

Odor: Ammonia.

Odor threshold:

pH:

not applicable

Melting point/freezing point:

Initial boiling point and boiling range:

No data available.

not applicable

Flash Point: > 93.3 °C (estimated)
Evaporation rate: No data available.
Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

Vapor density:No data available.Density:ca. 1.05 g/cm3

Relative density: 1.03

Solubility(ies)

Solubility in water: Insoluble

Solubility (other): PARTIAL IN TOLUENE

Partition coefficient (n-octanol/water) Log

Pow:

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.SADT:No data available.

SDS_US 6/16



Revision Date: 07/28/2016

GE5060

Viscosity, dynamic:No data available.Viscosity, kinematic:No data available.

VOC: 27 g/l

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: No data available.

Possibility of hazardous

reactions:

Hazardous polymerisation does not occur.

Conditions to avoid: None known.

Incompatible Materials: None known.

Hazardous Decomposition

Products:

Carbon dioxide Silicon dioxide. Ammonia. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of

formaldehyde are formed due to oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: No data available.

SDS_US 7/16



Revision Date: 07/28/2016

GE5060

Specified substance(s):

Hexamethyldisilazane LD 50 (Rat): 870 mg/kg

TITANIUM DIOXIDE LD 50 (Rat): > 10,000 mg/kg

Dermal

Product: No data available.

Specified substance(s):

TITANIUM DIOXIDE LD 50 (Rabbit): > 10,000 mg/kg

Inhalation

Product: No data available.

Specified substance(s):

TITANIUM DIOXIDE LC50 (Rat): > 6.8 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

TITANIUM Overall evaluation: 2B. Possibly carcinogenic to humans.

DIOXIDE

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

SDS_US 8/16



Revision Date: 07/28/2016

GE5060

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenici	١t٧	1
----------------------	-----	---

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: Contains dibutyltin compound(s) - May impair fertility. May cause harm to

unborn child.

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Oral

No data available.

Dermal

SDS_US 9/16



Revision Date: 07/28/2016

GE5060

No data available.

Inhalation

No data available.

Repeated dose toxicity

No data available.

Skin Corrosion/Irritation

No data available.

Serious Eye Damage/Eye Irritation

No data available.

Respiratory or Skin Sensitization

No data available.

Carcinogenicity

No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No data available.

US. National Toxicology Program (NTP) Report on Carcinogens:

No data available.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No data available.

Germ Cell Mutagenicity

In vitro

No data available.

Germ Cell Mutagenicity

In vivo

No data available.

Reproductive toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

SDS_US 10/16



Revision Date: 07/28/2016

GE5060

Specific Target Organ Toxicity - Single Exposure

No data available.

Target Organs

No data available.

Aspiration Hazard

No data available.

Other effects

No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

TITANIUM DIOXIDE LC0 (Leuciscus idus, 48 h): > 1,000 mg/l

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

SDS_US 11/16



Revision Date: 07/28/2016

GE5060

TITANIUM DIOXIDE 0 %

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow) Product: No data available.

Mobility in Soil: No data available.

Known or predicted distribution to environmental compartments

No data available.

Distillates, petroleum,

hydrotreated middle

Hexamethyldisilazane No data available. TITANIUM DIOXIDE No data available. DIBUTYL TIN BIS No data available.

ACETYLACETONATE

Known or predicted distribution to environmental compartments

METHYLPOLYSILOXANE No data available. No data available. SILOXANES AND

SILICONES, DI-ME

No data available. SILANE,

DICHLORODIMETHYL-, **REAKTION PRODUCTS** WITH SILICA, Silane, dichlorodimethyl-, reaction

products with silica

Other Adverse Effects: No data available.

13. Disposal considerations

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: No data available.

14. Transport information

DOT

Not regulated.

SDS_US 12/16



Revision Date: 07/28/2016

GE5060

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute Health Hazard Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SDS_US 13/16



Revision Date: 07/28/2016

GE5060

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Distillates, petroleum, 10000 lbs

hydrotreated middle

Hexamethyldisilazane 10000 lbs TITANIUM DIOXIDE 10000 lbs DIBUTYL TIN BIS 10000 lbs

ACETYLACETONATE

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

TITANIUM DIOXIDE Carcinogenic.

Methanol Developmental toxin.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

METHYLPOLYSILOXANE

SILOXANES AND SILICONES, DI-ME

SILANE, DICHLORODIMETHYL-, REAKTION PRODUCTS WITH

SILICA, Silane, dichlorodimethyl-, reaction products with silica

Distillates, petroleum, hydrotreated middle

Hexamethyldisilazane

US. Massachusetts RTK - Substance List

Chemical Identity

Distillates, petroleum, hydrotreated middle

10,10'-OXYBISPHENOXARSINE

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Distillates, petroleum, hydrotreated middle

TITANIUM DIOXIDE

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

SDS_US 14/16



Revision Date: 07/28/2016


GE5060

Inventory Status:

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	n (Negative listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: None.
Taiwan. Taiwan inventory (CSNN):	y (positive listing)	Remarks: None.

16.Other information, including date of preparation or last revision

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 07/28/2016

Revision Date: No data available.

Version #: 1.7

Further Information: No data available.

SDS_US 15/16



Revision Date: 07/28/2016

GE5060

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 16/16