

View Section : 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Stock No.: Manufacturer Name: Address:

MSDS Revision Date:

Emergency telephone number

CLEANER BLEND 300

19510 ITW Devcon 30 Endicott Street Danvers, MA 01923 10/10/2006

(800) 424-9300

HMIS



* Chronic Health Effects:

In the US, call CHEMTREC: (800) 424-9300

To Top of page

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	
Propylene glycol monomethyl ether	107-98-2	30 - 60 by Weight
d-Limonene	5989-27-5	5 - 10 by Weight
1-methoxy-2-propanol acetate	108-65-6	10 - 30 by Weight
Non-hazardous ingredients.	N/A	10 - 30 by Weight
2-methoxy-1-propanol	1589-47-5	1 - 5 by Weight

To Top of page

SECTION 3: HAZARDS IDENTIFICATION

Emergency Overview:	WARNING! Flammable. Irritant.
Primary Routes of Exposure: Potential Health Effects:	Eyes. Skin. Inhalation. Ingestion.
Eye Contact:	Can cause moderate irritation, burning sensation, tearing, redness, and swelling. Overexposure may cause lacrimation, conjunctivitis, corneal damage and permanent injury.
Skin Contact:	Can cause skin irritation; itching, redness, rashes, hives, burning, and swelling.
Inhalation:	Respiratory tract irritant. High concentration may cause dizziness, headache, and anesthetic effects.
Ingestion:	Causes irritation, a burning sensation of the mouth, throat and gastrointestinal tract and abdominal pain.
Chronic Health Effects:	Prolonged skin contact may lead to burning associated with severe reddening, swelling, and possible tissue destruction
Signs/Symptoms:	Overexposure can cause headaches, dizziness, nausea, and vomiting.
Target Organs:	Eyes. Skin. Respiratory system. Digestive system.
Aggravation of Pre-Existing Conditions:	Individuals with pre-existing skin disorders, asthma, allergies or known sensitization may be more susceptible to the effects of this product.

To Top of page

SECTION 4: FIRST	AID MEASURES
Eye Contact:	Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention.
Skin Contact:	Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.
Ingestion:	If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.
Other First Aid:	Due to possible aspiration into the lungs, DO NOT induce vomiting if ingested. Provide a glass of water to dilute the material in the stomach. If vomiting occurs naturally, have the person lean forward to reduce the risk of aspiration.

SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties :	Flammable.
Auto Ignition Temp :	Not determined.
Flash Point:	104°F (40°C)
Flash Point Method:	Tag closed cup (TCC)
Lower Explosive Limit (LEL)	3.0%
Upper Explosive Limit (UEL)	12%
Extinguishing Media:	Use carbon dioxide (CO2) or dry chemical when fighting fires involving this material.
Protective Equipment:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Fire Fighting Instructions:	Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire run-off water.

To Top of page

To Top of page

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Evacuate area and keep unnecessary and unprotected personnel from entering the spill area.
Spill Cleanup Measures:	Absorb spill with inert material (e,g., dry sand or earth), then place in a chemical waste container. Provide ventilation. Collect spill with a non-sparking tool. Place into a suitable container for disposal. Clean up spills immediately observing precautions in the protective equipment section. After removal, flush spill area with soap and water to remove trace residue. Flammable, eliminate ignition sources. Vapors can form an ignitable mixture with air. Vapors can flow along surfaces to distant ignition sources and flash back. Ventilate area. Use proper personal protective equipment as listed in section 8.
Environmental Precautions:	Avoid runoff into storm sewers, ditches, and waterways.
Other Precautions:	Pump or shovel to storage/salvage vessels.
	T T C

To Top of page

SECTION 7: HANDLING AND STORAGE

Handling:	Use with adequate ventilation. Avoid breathing vapor, aerosol or mist. Material will accumulate static charges which may cause an electrical spark (ignition source). Use proper grounding procedures. Do not reuse containers without proper cleaning or reconditioning.
Storage:	Store in a cool, dry, well ventilated area away from sources of heat, combustible materials, direct sunlight, and incompatible substances. Keep container tightly closed when not in use.
Hygiene Practices:	Wash thoroughly after handling.
Special Handling Procedures:	Hazardous liquid or vapor residue may remain in emptied container. Do not reuse, heat, burn, pressurize, cut, weld, braze, solder, drill, grind, expose to sparks, flame, or ignition sources of empty containers without proper commercial cleaning or reconditioning.

To Top of page

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering Controls:	Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below
	recommended exposure limits. Good general ventilation should be sufficient to
	control airborne levels. Where such systems are not effective wear suitable
	personal protective equipment, which performs satisfactorily and meets OSHA or

	other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.	
Skin Protection Description:	Wear appropriate protective gloves and other protective apparel to prevent skin contact. Consult manufacturer's data for permeability data.	
Eye/Face Protection:	Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.	
Respiratory Protection:	A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.	
Other Protective:	Facilities storing or utilizing this material should be equipped with an eyewash and a deluge shower safety station.	
Propylene glycol monomethyl ether:		
Guideline ACGIH :	ACGIH TLV-TWA 100 ppm	
Notes :	Only established PEL and TLV values for the ingredients are listed below.	

To Top of page

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State/Appearance:	Liquid.
Color:	Pale amber
Odor:	Ethereal.
Boiling Point:	212°F (100°C) initial
Melting / Freezing Point :	Not determined.
Solubility:	Appreciable.
Specific Gravity:	0.95
pH:	Not determined.
Vapor Density:	>1 (air = 1)
Vapor Pressure:	12 mmHg @68°F
Molecular Formula:	Mixture
Molecular Weight:	Mixture
Percent Volatile:	100
VOC Data :	840 g/L
Percent Solids by Weight	0

To Top of page

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal temperatures and pressures.
Conditions to Avoid:	Extreme heat, sparks, and open flame. Incompatible materials, oxidizers and oxidizing conditions.
Incompatibilities with Other Materials:	Oxidizing agents. Strong acids and alkalis.
Hazardous Polymerization:	Not reported.

To Top of page

SECTION 11: TOXICOLOGICAL INFORMATION

Propylene glycol monomethyl ether:	
Eye Effect:	Eye - Rabbit Standard Draize Test: 500 mg/24H - [mild](RTECS)
Skin Effects:	Skin - Rabbit Open irritation test -: 500 mg - [mild](RTECS) Skin - Rabbit LD50: 13 gm/kg - [Details of toxic effects not reported other than lethal dose value](RTECS)
Inhalation Effects:	Inhalation - Rat LC50: 10000 ppm/5H - [Details of toxic effects not reported other than lethal dose value] (RTECS)
Ingestion Effects:	Oral - Rat LD50: 6600 mg/kg - [Brain and Coverings - other rat changes oral - general anesthetic Lungs, Thorax, or rat - dyspnea] (RTECS) Oral - Mouse LD50: 11700 mg/kg - [oral - convulsions or effect on seizure threshold oral - ataxia Lungs, Thorax, or rat - dyspnea] (RTECS)
<u>d-Limonene</u> :	
Skin Effects:	Skin - Rabbit Standard Draize Test: 10 %/24H - [mild](RTECS) Skin - Rabbit LD50: >5 gm/kg - [Details of toxic effects not reported other than lethal dose value](RTECS) Skin - Mammal species unspecified LD50: >5 gm/kg - [Details of toxic effects not reported other than lethal dose value](RTECS)
Ingestion Effects:	Oral - Rat LD50: 4400 mg/kg - [oral - changes in motor activity (specific assay) Lungs, Thorax, or rat - rat depression Skin and Appendages - hair] (RTECS)

	Oral - Mouse LD50: 5600 mg/kg - [oral - changes in motor activity (specific assay) Lungs, Thorax, or rat - rat depression Skin and Appendages - hair] (RTECS)
1-methoxy-2-propanol acetate:	
Skin Effects:	Skin - Rabbit LD50: >5 gm/kg - [Details of toxic effects not reported other than lethal dose value](RTECS)
Ingestion Effects:	Oral - Rat LD50: 8532 mg/kg - [Details of toxic effects not reported other than lethal dose value] (RTECS)

To Top of page

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:	No ecotoxicity data was found for the product.
Environmental Fate:	No environmental information found for this product.

To Top of page

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:	Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.
RCRA Number :	D001
Important Disposal Information:	DANGER! Rags, steel wool and waste soaked with this product may spontaneously catch fire if improperly discarded or stored. To avoid a spontaneous combustion fire, immediately after use, place rags, steel wool or waste in a sealed, water-filled, metal con

To Top of page

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name:	Flammable liquids, n.o.s.
DOT UN Number:	1993
DOT Hazard Class:	3
DOT Packing Group:	III
IATA Shipping Name:	Flammable liquid, n.o.s. (Propylene Glycol Monomethyl Ether), 3, UN 1993, PG III, ERG 128

To Top of page

SECTION 15: REGULATORY INFORMATION

WHMIS Pictograms



State:

Propylene glycol monomethyl ether:

	Listed in the Pennsylvania State Hazardous Substances List.
EC Num :	603-064-00-3
1-methoxy-2-propanol acetate	¢
EC Num :	607-195-00-7
Canadian Regulations.	WHMIS Hazard Class(es): B3; D2B All components of this product are on the Canadian Domestic Substances List.

Listed in the State of Massachusetts Hazardous Substance List.

To Top of page

SECTION 16: ADDITIONAL INFORMATION

HMIS Health Hazard:	2*
HMIS Fire Hazard:	2
HMIS Reactivity:	1
HMIS Personal Protection:	Х
MSDS Revision Date:	10/10/2006
Disclaimer:	"This Health
	belief at the

"This Health and Safety Information is correct to the best of our knowledge and belief at the date of its publication but we cannot accept liability for any loss, injury or damage which may result from its use. The information given in the Data Sheet is designed only as a guidance for safe handling, storage and the use of the substance. It is not a specification nor does it guarantee any specific properties. All chemicals should be handled only by competent personnel, within a controlled environment."

Copyright© 1996-2007 Actio Software Corporation. All Rights Reserved.